From: Friend, Ashley C

To: Faunce, Jasmin - FS, NH

Subject: [External Email]B112 Emergency Incident 8/7

Date: Thursday, August 8, 2024 1:01:37 PM

Attachments: <u>image001.jpg</u>

6.jpg 11.jpg 64.jpg 75.jpg rem-13.pdf

#### [External Email]

If this message comes from an unexpected sender or references a vague/unexpected topic;

Use caution before clicking links or opening attachments.

Please send any concerns or suspicious messages to: Spam.Abuse@usda.gov

Hi Jasmin,

Thanks again for taking my call yesterday evening.

As we discussed, at approximately 14:45, an operator from JCR who is subcontracted on the B112 Project was traversing down the access road off the western side of Mt Israel Rd. (near structure 120) in the forwarder while hauling a full load of timber mats when the brakes failed. The machine then rolled onto its side and came to its final resting area just outside of the jurisdictional wetland (photo 11 shows the location of the machine with a worker standing on the edge of resource where the machine came to rest).

Minimal hydraulic fluid leaked from the forwarder (1 quart or less). Spill kits were deployed and the contamination, which was confined to the upland area, was remediated by removing the contaminated debris to be properly disposed of offsite. Since the wetland area was not contaminated, the spill was under 25 gallons, and the contamination was removed within the same day, there is no reporting required to NHDES (see State guidelines, attached).

Temporary matting was placed in areas to allow access for 3 excavators and a bulldozer to move and stabilize the forwarder. At this time, the broken forwarder is out of the WMNF and restoration of the site is taking place.

If you have any questions, please let me know.

Thanks, Ashley

#### ASHLEY FRIEND

Supervisor- Licensing & Permitting NH

13 Legends Drive, Hooksett, NH 03106

603-634-2992

Ashley.Friend@Eversource.com

This electronic message contains information from Eversource Energy or its affiliates that may be confidential, proprietary or otherwise protected from disclosure. The information is intended to be used solely by the recipient(s) named. Any views or opinions expressed in this message are not necessarily those of Eversource Energy or its affiliates. Any disclosure, copying or distribution of this message or the taking of any action based on its contents, other than by the intended recipient for its intended purpose, is strictly prohibited. If you have received this e-mail in error, please notify the sender immediately and delete it from your system. Email transmission cannot be guaranteed to be error-free or secure or free from viruses, and Eversource Energy disclaims all liability for any resulting damage, errors, or omissions.









### ENVIRONMENTAL

# Fact Sheet



29 Hazen Drive, Concord, New Hampshire 03301 • (603) 271-3503 • www.des.nh.gov

REM-13 2020

## Reporting Oil Spills, Hazardous Waste Spills and Groundwater Contamination

The State of New Hampshire has statutory and regulatory requirements regarding the reporting of discharges of both petroleum products and hazardous wastes. To promote compliance with these "duty to report" requirements, the following excerpts are presented from the appropriate laws and regulations.

#### IN THE EVENT OF A HAZARDOUS WASTE SPILL

#### Duty To Report, N.H. Hazardous Waste Management Act RSA 147-A:11,

- 1. Any generator, operator, transporter or employee of a hazardous waste facility who becomes aware of any storage, treatment, or disposal of hazardous waste in violation of this chapter shall immediately report the violation to the NH Department of Environmental Services (NHDES) Waste Management Division.
- 2. Any person who fails to give notice as required by RSA 147-A:11,1, shall be guilty of a misdemeanor if a natural person, or guilty of a felony if any other person.
- 3. Each day of a continuing violation shall constitute a separate offense.

#### Immediate Action, "Requirements for Hazardous Waste Generators" Env-Hw 513.01,

The generator shall report any discharge of hazardous waste or discharge of any material which when discharged becomes a hazardous waste that poses a threat to human health or the environment, for example, into storm or sanitary sewers, onto the land or into the air, groundwater or surface waters. Notification shall be both:

- 1. Immediately, not to exceed one hour from discharge discovery, to local fire department; and
- 2. Immediately, not to exceed one hour from discharge discovery, to the NHDES Emergency Response group at (603) 271-3899 (Monday through Friday, 8 a.m. to 4 p.m.), or to the NH State Police Dispatch at (603) 223-4381 (24 hours/day).

#### IN THE EVENT OF A PETROLEUM (OIL) SPILL

#### Duty To Report, NH Oil Spillage In Public Waters Act RSA 146-A:5,

- 1. Whoever is responsible for the operation of any oil facility, carrier, or vessel that discharges oil in violation of this chapter shall immediately notify the NHDES Waste Management Division. Any person who fails to give such notice shall be guilty of a misdemeanor if a natural person, or guilty of a felony if any other person.
- 2. Each day of a continuing violation shall constitute a separate offense.
- 3. Any person who becomes aware of an oil discharge in violation of this chapter shall immediately notify the NHDES Waste Management Division.

#### Notification, "Contaminated Sites Management" Env-Or 604.06

Any responsible party or other person having knowledge of a discharge of oil shall report such discharge to the NHDES Waste Management Division immediately (603) 271-3899 (Monday through Friday, 8 a.m. to 4 p.m.), or to the New Hampshire State Police Dispatch at (603) 223-4381 (24 hours/day), unless **all** five of the following conditions are met:

- 1. The discharge is less than 25 gallons.
- 2. The discharge is immediately contained.
- 3. The discharge and/or contamination is completely removed within 24 hours.
- 4. There is no impact or potential impact to groundwater or surface water.
- 5. There is no potential for vapors which pose an imminent threat to human health.

#### IN THE EVENT OF GROUNDWATER QUALITY VIOLATIONS

#### "Contaminated Sites Management" Env-Or 605.06

The responsible party shall notify the NHDES Waste Management Division (603) 271-3899 (Monday through Friday, 8 a.m. to 4 p.m.), within 60 days of discovery of a violation of the Ambient Groundwater Quality Standards of Env-Or 603.01.

#### Disclaimer:

Information contained in this fact sheet is current as of November 6, 2020. Statutory or regulatory changes that may occur after November 6, 2020, may cause part or all of this information to be invalid. If there are any questions concerning the status of the information, please contact NHDES by calling 271-3899.